		(3 Hours) Total Marks: 80	ي کي کي
NB	(1) (2) (3) (4)	 Answer any THREE questions out of the remaining FIVE questions. Assume suitable data if necessary and justify them 	3035374
	(-) Figure to the right indicates mark	
1.	Solv	ve any four	300
	(a)	Problems on fluctuating loads are overcome by mounting a flywheel on the motor shaft in non reversible induction motor drive. Explain how this is achieved?	5
	(b) (c)	Explain any two starting methods of induction motor.	5 5
	(d) (e)		5
2.	(a)	A motor is driving a number of loads with rotational motion. One load is directly coupled and other loads are coupled through gears. Derive the expression for the equivalent moment of inertia reflected on the motor shaft and the expression for equivalent load torque.	10
	(b)		10
3.	(a)	Draw the block diagram of closed loop speed control of dc drive with inner current control loop. Explain each block.	10
	(b)		10
4.	(a)	Draw the speed torque characteristics and explain plugging of 3-ph induction motor. Also show the speed transition from motoring mode to braking mode.	10
\C.	(b)	A delta connected three phase, 50Hz, 6pole, 400V, 925 rpm squirrel cage induction motor has following parameters $R_s = 0.2 \Omega$, $X_s = 0.5 \Omega$, $R_r' = 0.3 \Omega$, $X_r' = 1 \Omega$. The motor is fed from a voltage source inverter with constant V/f ratio from 0 to 50 Hz and constant voltage of 400V above 50 Hz frequency. Determine	10
		i. Breakdown torque for a frequency of 100 Hz as a ratio of its value at 50 Hz ii. Calculate the motor torque at 30 Hz and slip speed of 60 rpm.	
5.	(a)	What do you mean by short time duty and derive the relation for the overloading factor.	10
	(b)	Derive the open loop block diagram of a separately excited DC motor and obtain the transfer function $\frac{\omega(s)}{V_r(s)}$ where ω is the speed in rad/s and V_r is the reference voltage to set the reference speed.	10
6.	V V V	(10 (10 (10 (10 (10 (10 (10 (10	10 10
77	499	Page 1 of 1	

8B9F53D3223144C74BCE2CC9909E71F8