

5

## (3 Hours)

[Total Marks: 80

- N.B. (i) Question no. ONE is compulsory.
  - (ii) Attempt any THREE questions out of the remaining questions.
  - (iii) Figures to right indicate full marks.
- Find the eigen values of the adjoint of the matrix Q. 1 (a)

$$A = \begin{bmatrix} 2 & 0 & -1 \\ 0 & 2 & 0 \\ -1 & 0 & 2 \end{bmatrix}$$

- There are 10 counters in a bag,6 of which are 5 rupees each while the (b) remaining 4are of equal, but unknown value. If the expectation of drawing a single counter at random is 4 rupees, find the unknown Value.
- It is given that the mean of x and y are 5 and 10. If the line of regression (c) 5 of y on x is parallel to the line 20y = 9x + 40. Estimate the value of y for x = 30.
- Find the total work done in moving a particle in the force field (d) 5  $\overline{F} = 3xyi - 5zj + 10xk$  along  $x = t^2 + 1$ ,  $y = 2t^2$ ,  $z = t^3$  from t = 1 to t = 2.
- The means of two samples of sizes 1000 and 2000 respectively are Q.2 (a) 6 67.50 and 68.0 inches. Can the samples be regarded as drawn from The same population of S.D. 2.5 inches?
  - Find the characteristic equation of the matrix A given below and 6 Hence find the matrix represented by  $A^{6} - 6A^{5} + 9A^{4} + 4A^{3} - 12A^{2} + 2A - I$ .

$$A = \begin{bmatrix} 3 & 10 & 5 \\ -2 & -3 & -4 \\ 3 & 5 & 7 \end{bmatrix}$$

Verify Green's theorem for  $\int \frac{1}{y} dx + \frac{1}{x} dy$  where c is the boundary of 8

the region defined by x=1, x=4, y=1 and  $y=\sqrt{x}$ 

Tests made on breaking strength of 10 pieces of a metal wire gave the following results.

**TURN OVER** 

M-TV

Q.P. Code : 5301

578,572,570,568,572,570,570,572,596 and 584 in kgs. Test if the breaking

Strength of the metal wire can be assumed to be 577kg?

- (b) The probability that at any moment one telephone line out of 10 will be busy is 0.2.
  - (i) What is the probability that 5 lines are busy?
  - (ii) Find the expected number of busy lines and also find the probability of this number.
  - (iii) What is the probability that all lines are busy?
- (c) Using the Kuhn Tucker conditions solve the following N.L.P.P. Maximise  $z=2x_1+3x_2-x_1^2-2x_2^2$ Subject to  $x_1+3x_2 \le 6$ ,  $5x_1+2x_2 \le 10$ ,  $x_1$ ,  $x_2 \ge 0$ .
- Q.4 (a) Use Gauss-Divergence theorem to evaluate  $\iint_{S} \overline{N} \cdot \overline{F} ds$

Where  $\overline{F} = x^2 i + zj + yz k$  and s is the surface of the cube bounded by x=0, x=1 y=0, y=1, z=0 and z=1.

- (b) The probability density function of a random variable X is, X=0, 1, 2, 3, 4, 5, 6. P(X=x)=k, 3k, 5k, 7k, 9k, 11k, 13k. Find P(X<4),  $P(3< X \le 6)$ .
- (c) In a test given to two groups of students drawn from two normal Populations marks obtained were as follows,

  Group A: 18,20,36,50,49,36,34,49,41.

  Group B: 29,28,26,35,30,44,46. Examine the equality of variances at 5% level of significance.
- Q.5 (a) A die was thrown 132 times and the following frequencies were
  Observed,
  No. obtained: 1, 2, 3, 4, 5, 6. total
  Frequencies: 15, 20, 25, 15, 29, 28. 132

Test the Hypothesis that the die is unbiased.

6

8

## S.E. Civil CBGS - IV S.E Mech 3 AM-IV

23 · 11 · 15 Q.P. Code : 5301

- (b) Using the method of Lagrange's multipliers solve the given N.L.P.P. Optimize  $z = 6x_1^2 + 5x_2^2$ , Subject to:  $x_1 + 5x_2 = 7$ ,  $x_1, x_2 \ge 0$ .
- (c) Evaluate  $\iint_s (\nabla \times \overline{F}) d\overline{s}$  where  $\overline{F} = (2x y + z)i + (x + y z^2)j + (3x 2y + 4z)k$  and s is the surface of the cylinder  $x^2 + y^2 = 4$  bounded by the plane z=9 and open at the other end.
- Q.6 (a) For a normal variate with mean 2.5 and S.D. 3.5, find the probability

  That  $(i) (2 \le x \le 4.5)$   $(ii) (-1.5 \le x \le 5.5)$ 
  - (b) Soil temperature (x) and germination interval(y) for winter wheat in 12

    Places are as follows-

x(in °F): 57,42,38,42,45,42,44,40,46,44,43,40

y(days) : 10,26,41,29,27,27,19,18,19,31,29,33

(c) Find 
$$e^A$$
 and  $4^A$  if  $A = \begin{bmatrix} \frac{3}{2} & \frac{1}{2} \\ \frac{1}{2} & \frac{3}{2} \end{bmatrix}$