


(3 Hours)

[Total Marks: 80]

1. Question No. 1 is compulsory.
2. Out of remaining questions, attempt any **three** questions.
3. Assume **suitable** data wherever required but **justify** the same.
4. **All** questions carry **equal** marks.
5. Answer to each new question to be started on a fresh page.
6. **Figure** to the **right** in brackets indicate **full** marks.

1. Solve any four from the followings.

(a) Construct Moore machine equivalent to following Mealy machine. [05]




(b) Construct a PDA for the following Context Free Grammar (CFG). [05]

$$S \rightarrow CBAA \quad A \rightarrow 0A0 \mid 0 \quad B \rightarrow 0B \mid 0 \quad C \rightarrow 0C1 \mid 1C0 \mid \epsilon$$

(c) Construct right linear grammar and left linear grammar for the regular expression  $1(01)^*0(0+1)^*$ . [05]

(d) Explain the concepts, acceptance by final state and acceptance by empty stack of a Pushdown automata with suitable example. [05]


(e) Construct regular expression for the following FA using state elimination method. [05]



2. (a) Write down the regular expressions for the following language. [04]

- i. L is the language of all strings over {0, 1} having odd number of 0's and any number of 1's.
- ii. L is the language of all strings over {0, 1} having number of 1's multiple of three.

(b) Construct DFA for the following NFA with  $\epsilon$ -moves. [10]



(c) Construct NFA with  $\epsilon$ -moves for the regular expression  $ab^*(a+b)^*+ba^*$  [06]

3. (a) Convert the following context free grammar into Chomsky normal form. [10]

$$S \rightarrow A \mid C \quad A \rightarrow aA \mid a \mid B \quad B \rightarrow bB \mid b \mid \varepsilon \quad C \rightarrow cC \mid c \mid B$$

- (b) Construct a Context Free Grammar (CFG) for the following PDA. [10]

$M = (\{q_0, q_1\}, \{(\cdot, \cdot), [\cdot, \cdot]\}, \{(\cdot, [\cdot, Z_0]), \delta, q_0, Z_0, \Phi\})$  and  $\delta$  is given by:

$$\delta(q_0, (\cdot, Z_0) = (q_0, (Z_0))$$

$$\delta(q_0, [\cdot, Z_0) = (q_0, [Z_0])$$

$$\delta(q_0, (\cdot, (\cdot) = (q_0, ((\cdot))$$

$$\delta(q_0, [\cdot, [\cdot) = (q_0, [[\cdot])$$

$$\delta(q_0, (\cdot, [\cdot) = (q_0, ([\cdot])$$

$$\delta(q_0, [\cdot, (\cdot) = (q_0, [(\cdot))$$

$$\delta(q_0, \cdot, (\cdot) = (q_0, \varepsilon)$$

$$\delta(q_0, [\cdot, [\cdot) = (q_0, \varepsilon)$$

$$\delta(q_0, \varepsilon, Z_0) = (q_1, \varepsilon)$$

4. (a) Construct a PDA for  $L = \{a^n b^m c^n \mid n, m \geq 1 \text{ and } n < m\}$ . [10]

- (b) Design a DFA over  $\{0, 1\}$  which accepts all strings that contain substring '11' and do not contain the substring '00'. [06]

- (c) Give context free grammar for the following languages. [04]

i.  $L = \{0^n 1^m 0^k \mid m > n + k \text{ and } n, m, k \geq 0\}$

ii.  $L = \{a^{2n} b^{3m} c^m d^n \mid n, m \geq 1\}$

5. (a) Construct Turing Machine to accept language  $L = \{a^n b^{2n+1} \mid n \geq 1\}$ . [10]

- (b) Find the equivalent NFA with  $\varepsilon$ -moves accepting the regular language defined by the following grammar. [05]

$$S \rightarrow 01S \mid 0A \quad A \rightarrow 10 \mid 1B \mid 00A \quad B \rightarrow 1S \mid 1B \mid \varepsilon$$

- (c) Let G be the grammar having following set of production. [05]

$$S \rightarrow ABA \quad A \rightarrow aA \mid bA \mid \varepsilon \quad B \rightarrow bbb$$

For the string "ababbbba", find a leftmost derivation and rightmost derivation.

6. (a) Minimize the following DFA  $M = (\{q_0, q_1, q_2, q_3, q_4, q_5\}, \{0, 1\}, \delta, q_0, \{q_3, q_5\})$ , where  $\delta$  is given in the following table. [06]

	$\rightarrow q_0$	$q_1$	$q_2$	* $q_3$	$q_4$	* $q_5$
0	$q_1$	$q_3$	$q_5$	$q_3$	$q_5$	$q_3$
1	$q_2$	$q_4$	$q_1$	$q_4$	$q_1$	$q_4$

- (b) Construct Turing Machine wherein given an input  $1^n$  leaves  $1^{3n+1}$  on the tape. Convert the TM design into equivalent function. [10]

- (c) What do you understand by closure property? State the various set theoretic operations under which regular languages are closed. Give suitable example. [04]