Q. P. Code: 25571

(3hours)

[Total marks: 80]

5

5

- **N.B.** 1) Question No. 1 is compulsory.
 - 2) Answer any Three from remaining
 - 3) Figures to the right indicate full marks



- 1. a) Verify Laplace equation for $u = \left(r + \frac{a^2}{r}\right)\cos\theta$.
 - b) Find Laplace transform of $f(t) = e^{-3t} \sin 2t \cdot \cos 3t$.
 - c) Obtain Fourier series for f(x) = x in $(-\pi, \pi)$.
 - d) Evaluate $\int_C (z^2 + 3z^{-4}) dz$ where C is the upper half of the unit circle from (1,0) to (-1,0).
- 2. a) Obtain the Taylor's and Laurent series which represent the function $f(z) = \frac{z}{(z+1)(z-2)} \text{ in the regions, i) } |z| < 1 \quad \text{ii) } 1 < |z| < 2 \qquad 6$
 - b) Obtain Complex form of Fourier series for $f(x) = \cos hx$ in $(-\pi, \pi)$
 - c) Using Laplace transform, solve the differential equation:

$$\frac{dx}{dt} + 2x = \sin\omega t, \text{ with } x(0) = 1.$$

- 3. a) Solve $\frac{\partial^2 u}{\partial x^2} 100 \frac{\partial u}{\partial t} = 0$ with u(0,t) = 0, u(1,t) = 0, u(x,0) = x(1-x) taking h = 0.1 for three time steps up to t = 1.5 by Bender –Schmidt method. 6
 - b) Find the bilinear transformation which maps the points z = 1, i, -1 into the points $w = 0, 1, \infty$.
 - c) Obtain half range Fourier sine series for $f(x) = \begin{cases} x, & 0 < x \le \pi/2 \\ \pi x, & \pi/2 \le x < \pi \end{cases}$ Hence, prove that -

$$\frac{\pi^4}{96} = \frac{1}{1^4} + \frac{1}{3^4} + \frac{1}{5^4} + \cdots$$

[TURN OVER]

Q. P. Code: 25571

4. a) Find the orthogonal trajectory of the family of curves $2x - x^3 + 3xy^2 = c$

b) Find the Fourier series for f(x) = x|x| in (-1, 1).

c) Find the inverse Laplace transform of:-

i) $F(s) = \frac{1}{s(s^2+16)}$, using Convolution theorem, ii) $F(s) = \cot^{-1}(s+1)$. 8

5. a) Solve by Crank – Nicholson simplified formula $\frac{\partial^2 u}{\partial x^2} - \frac{\partial u}{\partial t} = 0$,

u(0,t) = 0, u(5,t) = 100, u(x,0) = 20 taking h = 1 for one-time step. 6

- b) Find the image of the circle |z| = 4 in the z-plane under the transformation w = z + 4 + 3i. Draw the sketch. 6

c) Find the analytic function f(z) = u + iv if $u - v = \frac{\cos x + \sin x - e}{2\cos x - e^y - e^{-z}}$ when $f\left(\frac{\pi}{2}\right) = 0$. 8

6. a) Using Residue theorem, evaluate, $\int_{0}^{2\pi} \frac{d\theta}{5-3\cos\theta}$ 6

b) Using Laplace transform, evaluate $\int_0^\infty e^{-t} (1+3t+t^2)H(t-2)dt$ 6

c) A tightly stretched string with fixed end points x = 0 and x = l, in the shape defined by y = kx(l-x) where k is a constant is released from this position of rest. Find y(x, t), the vertical displacement if $\frac{\partial^2 y}{\partial t^2} = c^2 \frac{\partial^2 y}{\partial x^2}$ 8