University of Mumbai

Examination Summer 2022

Program: Electronics and Telecommunication Engineering

Curriculum Scheme: Rev2019 Examination: **SE** Semester: **IV**

Course Code: ECC405 and Course Name: Principles of Communication Engineering

Time: 2 hour 30 minutes DATE: 30/5/2022 QP CODE:94013 Max. Marks: 80

Q1.	Choose the correct option for the following questions. All the questions are compulsory and carry equal marks
1.	Medium which sends information from source to receiver is called
Option A:	Channel
Option B:	Transmitter
Option C:	Loudspeaker
Option D:	Transducer
2.	What is modulation?
Option A:	Process of separating a carrier signal and analog signal
Option B:	Recovering information from a modulated signal
Option C:	Process of varying one or more properties of a modulating signal
Option D:	Involvement of noise
3.	The ability of receivers to select the wanted signals among various incoming signals is called
Option A:	Fidelity
Option B:	Selectivity
Option C:	Sensitivity
Option D:	Modulation
290	
43 63	For low level amplitude modulation, amplifier must be
Option A:	Class C amplifier
Option B:	Class B amplifier
Option C:	Class D amplifier
Option D:	Class A amplifier
10000000000000000000000000000000000000	In a radio receiver, noise is generally developed at
Option A:	IF stage
Option B:	Receiving antenna
Option C:	Audio stage
Option D:	RF stage
6.	A superheterodyne receiver with an IF of 450 kHz is tuned to a signal at 1250 kHz. The image frequency is
Option A:	1700 kHz
Option B:	2150 kHz
Option C:	1650 kHz
Option D:	2100 kHz

C4-u-1-u-1 iu-4-uu li-4- Cu
Standard intermediate frequency used for AM receiver is
455 MHz
455 KHz
455 Hz
20 KHz
Pre-Emphasis Circuit is used to amplify what kind of frequencies?
Low
High SECOND
Moderate
Oscillator
Natural and flat top sampling are the types of
PWM SOCIAL SOCIA
PPM SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS
PCM TO SO TO
PAM PAM
Which is a circuit used to generate a double sideband suppressed carrier signal?
Sideband suppressor
Anti-modulator Anti-modulator
Balanced modulator
Carrier suppressor

Q2.	Solve any four Questions out of Six, (5 marks each)
A	Explain the use of VSB in broadcast television
В	A transmitter radiates 9kW of power with carrier unmodulated and 10.125 kW when modulated. Calculate the depth of modulation.
C	Explain types of AGC.
Ď	Define and explain SNR, Noise Figure, Noise factor, Noise Temperature, and Friss Formula.
E	Explain how PPM is generated from PWM?
F	Explain FDM and TDM applications

Q3.	Solve any Two Questions out of Three (10 marks each)
A	Draw a neat block diagram of a superheterodyne radio receiver and explain each block in detail.
В	What are different methods for SSB generation? Explain any one method in detail.
Ċ	With the help of a block diagram explain the concept of PCM. What is DPCM?

Q4.	Solve any Two Questions out of Three (10 marks each)
A	What are different methods for FM demodulation? Explain any one method in detail.
В	State and prove sampling theorem for low pass band-limited signal.
С	Explain Frequency Division Multiplexing (FDM) transmitter & receiver with a neat block diagram.

